Lu-MAX

**Product Catalogue | 2025** 

LIGHT CONTROLLED TO THE CONTRO

Lumax Lighting Ltd. www.lumaxlighting.co.uk



# Who are Lumax





**LED Inspection Lights** (Full Size)



08

(Mid Size)

**LED Inspection Lights LED Flood Lights (Heavy Duty)** 

26



**LED Flood Lights (Compact)** 



Wireless LED Lights+ **Charge Docks** 



**LED Headlamps** 



**UV Leak Detection** Lights

**LED Color Proofing** 

Lights





**Underhood Worklight** 







**LED Inspection Lights** (Compact)

**Slim LED Inspection** 

**Lights (Folding)** 











responsible. Plus, we're continually developing new and innovative lighting solutions

to lead the industry.

5









# Our quality, will be in your brand!





# 100% Bespoke Manufacturing

Have you got a unique design idea? No problem, we are a competent partner to realize your project. Our design team can cooperate with you to generate 3D models and prototypes.

Once approved, the necessary injection mold toolings, etc. will be developed for the desired model range. Your idea will be in serial production in truly short period.

Take advantage of our offer; please feel free to talk to us for details.







With the striking design, our polycarbon cover, keeps your logo safe for any damage







# **Packaging and Kits**

The ultimate in quality deserves the ultimate in packaging. Therefore, we offer a limitless choice of packaging alternatives. Your brand could be on the forefront on the market with innovative packaging solutions from us.

















# LED Inspection Lights (Full Size)



### LMA001-001

Rechargeable COB LED Inspection Light







Durable housing, hooks and lens 180 degree pivoting handle Super strong magnets in the handle and back 4 LED battery level indicators show the charge status









Main light: 10W COB LED, 6500K, 80+CRI Top light: 4W SMD LED, 6500K, 80+CRI



Main light: 250 / 500 / 1000 lumens Top light: 150 lumens



Battery:

3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Main light: 8 h / 4 h / 2 h Top light: 7 h



1m Type C USB 5V-1A



IP65



IK07



339 g



268x61x42 mm



1 Top Light

2 Magnet

Rigid plastic hook

USB-C Socket

On - Off switch & Dimmer

### LMA001-002S

Rechargeable SMD LED Inspection Light







Durable housing, hooks and lens 180 degree pivoting handle Super strong magnets in the handle and back 4 LED battery level indicators show the charge status









Main light: 7W COB LED, 6500K, 70+CRI Top light: 4W SMD LED, 6500K, 70+CRI



Main light: 175 / 350 / 700 lumens Top light: 150 lumens



3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Main light: 8 h / 4 h / 2 h Top light: 7 h



1m Type C USB 5V-1A



IP54



IK07



304 g



268x61x42 mm



1 Top Light

2 Magnet

Rigid plastic hook

USB-C Socket

On - Off switch & Dimmer

# LED Inspection Lights (Full Size)











Rechargeable COB LED Inspection Light







Durable housing, hooks and lens 180 degree pivoting handle Super strong magnets in the handle and back 4 LED battery level indicators show the charge status









Main light: 7W COB LED, 6500K, 80+CRI Top light: 4W SMD LED, 6500K, 80+CRI



Main light: 175 / 350 / 700 lumens Top light: 150 lumens



Battery:

3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Main light: 8 h / 4 h / 2 h Top light: 7 h



1m Type C USB 5V-1A



IP65



IK07



330 g



268x61x42 mm



1 Top Light

2 Magnet

Rigid plastic hook

4 USB-C Socket

On - Off switch & Dimmer

# LMA002-001

Rechargeable COB LED Inspection Light







Durable housing, hooks and lens 180 degree pivoting handle Super strong magnets on the bottom

3 LED battery level indicators show the charge status









Main light: 6W COB LED, 6500K, 80+CRI Top light: 4W SMD LED, 6500K, 80+CRI



Main light: 250 / 500 lumens Top light: 100 lumens



3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Main light: 5 h / 3.5 h Top light: 10 h



1m Type C USB 5V-1A



IP54




IK07



214 g



199x56x36 mm



1 Top Light

Rigid plastic hook

USB-C Socket

4 On - Off switch

6 Magnet

# LED Inspection Lights (Mid Size)



### LMA002-001S

### Rechargeable SMD LED Inspection Light







Durable housing, hooks and lens 180 degree pivoting handle Super strong magnets on the bottom

3 LED battery level indicators show the charge status









Main light: 6W SMD LED, 6500K, 70+CRI Top light: 3W SMD LED, 6500K, 70+CRI



Main light: 250 / 500 lumens Top light: 100 lumens



Battery: 3.7 V 2200 mAh Li-ion



Charging time: 3.5 h



Main light: 5 h / 3.5 h Top light: 10 h



1m Type C USB 5V-1A



IP54



IK07



208 g



198x57x40 mm



1 Top Light

2 Rigid plastic hook

3 USB-C Socket

4 On - Off switch

6 Magnet

### LMA006-001

### Rechargeable LED Inspection Light - Replaceable Lens







Durable housing, hooks and lens 180 degree pivoting handle Super strong magnets on the bottom

3 LED battery level indicators show the charge status









Main light: 6W COB LED, 6500K, 80+CRI Top light: 3W SMD LED, 6500K, 80+CRI



Main light: 200 / 400 lumens Top light: 100 lumens



3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Main light: 5 h / 3.5 h Top light: 10 h



1m Type C USB 5V-1A



IP54




IK07



235 g



198x57x40 mm



1 Top Light

2 Rigid plastic hook3 USB-C Socket

4 On - Off switch

6 Magnet

11

# LED Inspection Lights











Rechargeable COB LED Inspection Light





Long & thin design, making it easy to carry and apply. Hook & rear magnet are suitable

for various environmenls. Sturdy & durable Aluminum alloy housing.





Flood light: 6W COB LED, 6500K, 80+CRI



Flood light: 200 / 400 lumens



3.7 V 1800 mAh Li-ion



Charging time:



Main light: 3 h / 1.5 h



1m Type C USB 5V-1A



IPX4



IK07



120 g



249x32.5x10.5 mm



Rechargeable COB LED Inspection Light



Long & thin design, making it easy to carry and apply.

Sturdy & durable Aluminum alloy housing.







Flood light: 10W COB LED, 6500K, 80+CRI



Flood light: 250 / 500 / 1000 lumens



3.7 V 4400 mAh Li-ion



Charging time:



Main light: 12 h / 6 h / 3 h



1m Type C USB 5V-2A



IPX3



IK07



390 g



480x40x40 mm





# LED Inspection Lights (Mid Size)









### LMC001-001

Mini Rechargeable COB LED Inspection Light





Durable housing and lens Strong magnet on the clip Led charging indicator: Red while charging, green when full









Main light: 3W COB LED, 6500K, 80+CRI Top light: 1W SMD LED, 6500K, 80+CRI



Main light: 150 lumens Top light: 80 lumens



3.7 V 800 mAh Li-ion



Charging time: 2 h



Main light: 3 h Top light: 5 h



1m Type C USB 5V-1A



IP20



IK07



62 g



167x25x27 mm











Rigid plastic hook



6 USB-C Socket

### LMC001-001S

Mini Rechargeable SMD LED Inspection Light





Durable housing and lens Strong magnet on the clip Led charging indicator: Red while charging, green when full









Main light: 3W COB LED, 6500K, 80+CRI Top light: 1W SMD LED, 6500K, 80+CRI



Main light: 150 lumens Top light: 80 lumens



3.7 V 800 mAh Li-ion



Charging time: 2 h



Main light: 3 h Top light: 5 h



1m Type C USB 5V-1A



IP20



IK07



61 g



167x25x27 mm



1 Top Light

0

2 Magnet

Rigid plastic hook

4 On - Off switch

USB-C Socket

# Aluminum alloy penlight



### LMC002-001

Mini Rechargeable COB LED Aluminum alloy penlight





Dual lights desian, spotlight & floodlight. Applied with a pen clip, it can be clipped to the pocket or something else.





Main light: 3W COB LED, 5500-6500K, 80+CRI Top light: 1W SMD LED, 6000-7000K, 70+CRI



Main light: 300 lumens Top light: 200 lumens



Battery: 3.7 V 650 mAh Li-ion



Charging time: 2 h



Main light: 2 h Top light: 3 h



1m Type C USB 5V-1A



IPX0



Lu-MAX

IK07



58 g



210x20x174 mm



1 On - Off switch

2 Magnet

3 Rigid plastic hook

4 Top Light















### LMF001-001

### Folding Rechargable SLIM LED Inspection Light







Durable plastic housing, aluminum LED frame Strong magnet and hook at the bottom 180 degree rotating head in vertical position 4 LED battery level indicators show the charge status



Flood light: 10W COB LED, 6500K, 80+CRI Spot light: Super Bright LED, 6500K, 80+CRI



Flood light: 1000 / 500 / 250 lumens Spot light: 150 lumens



Battery: 3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Flood light: 2/4/8 h Spot light: 7 h



1m Type C USB 5V-1A



IP65



IK07



292 g



Fold:195x46x60 mm Extend:348x46x60 mm





















### Slim LED Inspection Lights (Folding)











Swivel Head Rechargeable LED Torch







Durable plastic housing, aluminum torch head Strong magnet and hook at the bottom 135 degree pivoting torch head 4 LED battery level indicators show the charge status Variable lighting focal length









Torch light: 10W Super Bright LED, 6500K, 70+CRI



Torch light: 1000 / 500 / 250 lumens



3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Torch light: 2/4/7 h



1m Type C USB 5V-1A



IP65



IK07



325 g



251x46x60 mm



1 Torch Light

Battery level indicator

3 On - Off switch

4 USB-C Socket

6 Hook and magnet

### LMF003-001

Folding Rechargable SLIM LED Inspection Light - Mini








Durable plastic housing, aluminum LED frame Strong magnet on the bottom and back 180 degree rotating head in vertical position During charging, the red led flashes, green led indicates fully charged.









Fold: 158x20x32 mm Extend: 301x20x25 mm

# Slim LED Inspection Lights (Folding)



#### LMF005-001

### Folding Rechargable SLIM LED Inspection Light







The light strip can rotate 180 degrees and be folded up for easy storage and portability.

The bottom is equipped with a pull-out clamp function, which can be fixed to different thicknesses of plates, and the maximum stretch-ing size can reach 45MM.

The magnet at the bottom can be attached to the engine hood, tool rack, etc. and the hook can be hung.





Flood light: 4W COB LED, 5500-7500K, 80+CRI Spot light: 2W SMD LED, 6500-7500K, 70+CRI Top light: 1W SMD LED, 6500-7500K, 70+CRI



Flood light: 400 lumens / Red light: 200lumens Spot light: 160 lumens Top light: 60 lumens



Battery:

3.7 V 2600mAh Li-ion



Charging time:

4 h



Flood light: 5 h / Red light: 6 h Spot light: 10 h Top light: 35 h



1m Type C USB 5V-1A



IPX0



IK07



180 g



158x31x45mm

### LMF006-001

### Folding Rechargable SLIM LED Inspection Light







The light strip can rotate 180 degrees and be folded up for easy storage and portability.

The bottom is equipped with a pull-out clamp function, which canbe fixed to different thicknesses of plates, and the maximum stretch-ing size can reach 45MM. The magnet at the bottom can be attached to the engine hood, tool rack, etc. and the hook can be hung.





Flood light: 3W COB LED, 5500-7500K, 80+CRI Spot light: 2W SMD LED, 6500-7500K, 70+CRI Top light: 1W SMD LED, 6500-7500K, 70+CRI



Flood light: 240 lumens / Red light: 12 lumens Spot light: 160 lumens Top light: 50 lumens



3.7 V 1200mAh Li-ion



Charging time: 2 h



Flood light: 3 h / Red light: 12 h Spot light: 4.5 h Top light: 20 h



1m Type C USB 5V-1A



IPX0



IK07



119 g




130x27x41mm











# LED Inspection Lights (Compact)



### LMB001-001

Compact Rechargeable COB LED Inspection Light







Durable housing, hook & lens 360 degree pivoting frame Strong magnet on clip and bottom Led charging indicator: Red while charging, green when full











Main light: 3W COB LED, 6500K, 80+CRI



Main light: 400 / 120 lumens



Battery:

3.7 V 1500 mAh Li-ion



Charging time: 3 h



Main light: 3 / 8 h



1m Type C USB 5V-1A



IP54




IK07



166 g



127x69x33 mm



- Rigid plastic hook and belt clip
- 2 On Off switch
- 3 USB-C Socket
- 4 Magnet

### LMB001-001S

Compact Rechargeable SMD LED Inspection Light







Durable housing, hook & lens 360 degree pivoting frame Strong magnet on clip and bottom Led charging indicator: Red while charging, green when full











Main light: 3W SMD LED, 6500K, 80+CRI



Main light: 300 / 100 lumens



3.7 V 1500 mAh Li-ion



Charging time: 3 h



Main light: 3 / 8.5 h



1m Type C USB 5V-1A



IP54



IK07



160 g



127x69x33 mm



- Rigid plastic hook and belt clip
- On Off switch
- 3 USB-C Socket
- 4 Magnet

# LED Inspection Lights (Compact)









### LMB003-001

Compact Rechargeable COB LED Inspection Light





Strong magnet on clip and bottom Led charging indicator: Red while charging, green when full AL case







Main light: 10W COB LED, 5500-7500K, 70+CRI Top light: 2W SMD LED, 5500-7500K, 70+CRI



Main light: 80 / 600 / 1200 lumens Top light: 100 lumens



3.7 V 2000 mAh Li-ion



Charging time: 3 h



Main light: 10 / 5.5 / 1.5 h Top light: 12 h



1m Type C USB 5V-1A



IPX7



IK07



147 g



115x46x26 mm







LED Headlamps











### LMD001-001

Rechargeable LED Headlamp with Motion Sensor







Durable housing and lens Strong belt with non-slip grip Smart motion sensor

Led charging indicator: Flashing green while charging,





Main light: 4W COB LED, 6500K, 80+CRI



Main light: 200 / 400 lumens



3.7 V 1500 mAh Li-ion



Charging time: 2.5 h



Main light: 6 / 2 h



1m Type C USB 5V-1A



IP65



IK07



110 g



78.5x47.5x42 mm









Rechargeable LED Headlamp with Motion Sensor













**SPOTLIGHT / FLOODLIGHT** 

Durable housing and lens Strong belt with non-slip grip, 3 strong magnets on back Smart motion sensor Led charging indicator: Flashing green while charging, solid green when full







Flood light: 3W COB LED, 6500K, 80+CRI Spot light: 4W SMD LED, 6500K, 80+CRI



Flood light: 250 lumens Spot high: 300 lumens Spot low: 120 lumens Spot+Flood: 500 lumens



3.7 V 1500 mAh Li-ion



Charging time: 2.5 h



Flood light: 3h Spot High: 3h Spot Low: 8h Flood +Spot: 1.5h



1m Type C USB 5V-1A



IP65



IK07



128 g



78.5x47.5x42 mm



IR sensor switch



3 USB-C Socket



### LMD002-001

LED Headlamp – 3xAAA







Durable housing and lens Strong belt with non-slip grip





Main light: 3W COB LED, 6500K, 80+CRI



Main light: 40 / 150 lumens



Battery: 3xAAA (not included)



Warning light burst - SOS



Main light: 8 / 2 h



IP20



65 g



78x50x43 mm


















# Heavy Duty LED Floodlights



### LME009-001

### Rechargeable Heavy Duty LED Floodlight







Hybrid system, can be used both on battery and AC adapter power supply

Durable aluminum housing

LED charge level indicators on back Pivoting stand with tripod mount housings Sold separately









Main light: 60W COB LED, 80+CRI



Main light: 600 - 6000 lumens



14.8 V 4400mAh (60Wh)



Charging time: 2 h



Main light: 12 h / 2 h



DC 3.5 24V-2.5A



IP65



IK07



2300 g



258x255x122 mm



- 1 On/Off Switch
- 2 Dc 3.5 input
- Usb output 5V/2A
- Power Indication
- Lm Indication

### I MF009-002

Heavy Duty LED Floodlight - for use with battery packs





Can be fitted by market leading

power tool battery packs, ships

with adaptors for each brand

Durable aluminum housing























Main light: 60W COB LED, 80+CRI



Main light: 600 - 6000 lumens



Built-in Powerbank



Main light: Depends on the branded battery



DC 3.5 24V-2.5A



IP65



IK07



2100 g



258x255x122 mm



- 1 On/Off Switch
- 2 Dc 3.5 input
- Usb output 5V/2A
- 4 Power Indication
- 5 Lm Indication







# Heavy Duty LED Floodlights









#### I MF010-001

Rechargeable Heavy Duty LED Floodlight - with diffusor, non-blinding







Hybrid system, can be used both on battery and AC adapter power supply

Diffusor secures non-blinding light source

Durable aluminum housing LED charge level indicators on back Pivoting stand with tripod mount housings Sold separately









Main light: 60W COB LED, 80+CRI



Main light: 600 - 6000 lumens



14.8 V 4400mAh (60Wh)



Charging time: 2 h



Main light: 12 h / 2 h



DC 3.5 24V-2.5A



IP65



IK07



2100 g



258x255x122 mm



- 1 On/Off Switch
- Dc 3.5 input
- Usb output 5V/2A
- Power Indication
- Lm Indication

### I MF010-002

Heavy Duty LED Floodlight with Diffusor - for use with battery packs





Can be fitted by market leading power tool battery packs, ships with adaptors





























Main light: 60W COB LED, 80+CRI



Main light: 600 - 6000 lumens



Built-in Powerbank



Main light: Depends on the branded battery



DC 3.5 24V-2.5A



IP65



IK07



1900 g



258x255x122 mm



- On/Off Switch
- Dc 3.5 input
- Usb output 5V/2A
- 4 Power Indication
- 5 Lm Indication

# LED Flood Lights (Compact)



### LME001-001

### Compact Rechargeable LED Floodlight







Durable housing and lens. 180 degree flexible handle. Super strong magnet on the handle. 4 LED battery level indicators during charging and discharging.







Flood light: 10W COB LED, 5500-6500K Spot light: Super Bright LED, 5500-6500K, 70+CRI



Flood light: 250 / 500 / 1000 lumens Spot light: 250 lumens



3.7 V 2600 mAh Li-ion



Charging time:



Flood light: 10 / 5 / 2 h Spot light: 6 h



1m Type C USB 5V-1A



IP65



IK07



267 g



91x84x52 mm



Battery level indicator



USB-C Socket

Magnet on bottom

### LME002-001

### Compact Rechargeable LED Floodlight







Durable housing and lens. 180 degree flexible handle. Super strong magnet on the handle. 4 LED battery level indicators during charging and discharging.









Flood light: 20W COB LED, 5500-6500K Spot light: Super Bright LED, 5500-6500K, 70+CRI



Flood light: 500 / 1000 / 2000 lumens Spot light: 450 lumens




3.7 V 5000 mAh Li-ion



Charging time:









1m Type C USB 5V-2A



IP65



IK07



380 g



113x104x62 mm



Battery level indicator

On - Off switch

USB-C Socket

Magnet on bottom












# Wireless LED Lights + Charge Docks





Ideal for workshops and garages where LED work lights are frequently used. Wall mounted dock wireless charging system eliminates the need for multiple number of chargers and charge points. Increased efficiency in workshops.



Charging docks can be connected to each other for max 3 lights charging



### LMA001-001W

Rechargeable COB LED Inspection Light – Wireless Charge









Durable housing, hooks and lens 180 degree pivoting handle Super strong magnets in the handle and back 4 LED battery level indicators show the charge status









Main light: 10W COB LED, 6500K, 80+CRI Top light: 4W SMD LED, 6500K, 80+CRI



Main light: 250 / 500 / 1000 lumens Top light: 150 lumens



Battery: 3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Main light: 8 h / 4 h / 2 h Top light: 7 h



Wireless charging time: 3.5



1m Type C USB 5V-1A



IP65



IK07



345 g



268x61x42 mm



Magnet
Wireless Area

On - Off switchUSB-C Socket

7 Hook 8 Magnet

# Wireless LED Lights + Charge Docks









### LMF001-001W

Folding SLIM LED Inspection Light -Wireless Charge









Durable plastic housing, aluminum LED frame Strong magnet and hook at the bottom 180 degree rotating head in vertical position 4 LED battery level indicators show the charge status









Flood light: 10W COB LED, 6500K, 80+CRI Spot light: Super Bright LED, 6500K, 80+CRI



Flood light: 250 / 500 / 1000 lumens Spot light: 150 lumens



Battery: 3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Flood light: 8 / 4 / 2 h Spot light: 7 h



Wireless charging time: 3.5



1m Type C USB 5V-1A



IP65

IK07







320 g







### LMF002-001W

Swivel Head LED Torch - Wireless Charge









Durable plastic housing, aluminum torch head Strong magnet and hook at the bottom

180 degree pivoting torch head 4 LED battery level indicators show the charge status

Variable lighting focal length









Torch light: 10W Super Bright LED, 6500K, 70+CRI



Torch light: 250 / 500 / 1000 lumens



Battery: 3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Torch light: 7/4/2 h



Wireless charging time: 3.5



1m Type C USB 5V-1A



IP65



IK07



330 a



251x46x44 mm



Battery level indicator

3 On - Off switch

USB-C Socket

6 Hook and magnet Wireless charge area

# Wireless LED Lights + Charge Docks



### LME002-001W

Compact LED Floodlight - Wireless Charge









Durable housing and lens. 180 degree flexible handle. Super strong magnet on the handle. 4 LED battery level

4 LED battery level indicators during charging and discharging.







Flood light: 20W COB LED, 5500-6500K Spot light: Super Bright LED, 5500-6500K, 70+CRI



Flood light: 500 / 1000 / 2000 lumens Spot light: 450 lumens




Battery: 3.7 V 5000 mAh Li-ion



Charging time:







Wireless charging time: 6.5 h



1m Type C USB 5V-2A



IP65



IK07



380 g



113x104x62 mm



Battery level indicator





4 USB-C Socket

6 Magnet on bottom

### LMZ001-001 LMZ001-002L LMZ001-003 LMZ001-002R

### Wireless Charging Dock

Charging distance: 0-6mm

Bottom Magnetic (Adsorption of 1mm iron plate): ≥34N

Working Temperature: -10~+40°C



1m Type C USB 5V-2A



IK07



153 g



116x112x17 mm






















# LED Color Proofing Lights









### LMD001-002

Colour Match Rechargeable LED Headlamp with Motion Sensor







Provides different levels of CRI, ideal for detailing jobs Durable housing and lens Strong belt with non-skip grip Smart motion sensor Led charging indicator: Flashing green while

charging, solid green









Main light: 6W COB LED, 2700K /4500K /6500K, 96+CRI



Main light: 200 lumens



3.7 V 1500 mAh Li-ion



Charging time: 2.5 h



Main light: 3.5 h



1m Type C USB 5V-1A



IP65



IK07



110 g



78.5x47.5x42 mm



IR sensor switch





### LMA006-003

Colour Match Rechargeable LED Inspection Light -Replaceable Lens











Durable housing, hooks and lens 180 degree pivoting handle Super strong magnets on the bottom

3 LED battery level indicators show the charge status









Main light: 10W COB LED, 2700K/4500K/6500K, 96+CRI Top light: 3W SMD LED, 6500K, 96+CRI



Main light: 250 / 270 /300 lumens Top light: 100 lumens



3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Main light: 3.5 h Top light: 10 h



1m Type C USB 5V-1A



IP54




IK07



235 g



198x57x40 mm



1 Top Light

Rigid plastic hook

USB-C Socket

4 On - Off switch

6 Magnet

# LED Color Proofing Lights



#### LME003-002

### Colour Match Compact Rechargeable LED Floodlight









Provides different levels of CRI, ideal for detailing jobs
Durable housing and lens.
180 degree flexible handle.
Super strong magnet on the handle.

4 LED battery level indicators during charging and dis charging.









Flood light: 10W COB LED, 2700K /4500K /6500K, 96+CRI



Flood light: 700 lumens



Battery: 3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Flood light: 2 h



1m Type C USB 5V-1A



IP65




IK07



267 g



91x84x52 mm



Battery level indicator



3 USB-C Socket

4 Magnet on bottom

#### LME004-002

## Colour Match Compact Rechargeable LED Floodlight









Provides different levels of CRI, ideal

for detailing jobs

Durable housing and lens. 180 degree flexible handle. Super strong magnet on the handle.

4 LED battery level indicators during charging and discharging.









Flood light: 20W COB LED, 2700K/3500K/4500K/5500K/6500K, 96+CRI



Flood light: 1400 lumens



3.7 V 5000 mAh Li-ion



Charging time: 3.5 h



Flood light: 2 h



1m Type C USB 5V-2A



IP65




IK07



380 g



113x104x62 mm



Battery level indicator

2 On - Off switch

3 USB-C Socket

4 Magnet on bottom

# LED Color Proofing Lights









## LME009-003

Colour Match Heavy Duty LED Floodlight









Hybrid system, can be used both on battery and AC adapter power supply Durable aluminum housing

LED charge level indicators on back Pivoting stand with tripod mount housings Sold separately









Main light: 60W COB LED, 80+CRI



Main light: 600 - 6000 lumens



14.8 V 4400mAh (60Wh)



Charging time:



Main light: 12 h / 2 h



DC 3.5 24V-2.5A



IP65



IK07



2300 g



258x255x122 mm



- 1 On/Off Switch
- 2 Dc 3.5 input
- Usb output 5V/2A
- 4 Power Indication
- 5 Lm Indication

















### Rechargeable UV Leak Detection Light







For detection of leakages in cooling systems, used with UV detection liquid Durable housing, hook and lens 180 degree pivoting handle Super strong magnets on the bottom 3 LED battery level indicators show the charge status









Main light: 3W UV COB LED TTop light: 4W SMD LED, 6500K, 80+CRI



Main light: 395 nm Top light: 100 lumens



3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Main light: 4.5 h Top light: 10 h



1m Type C USB 5V-1A



IP54




IK07



212 g



199x56x36 mm



1 Top Light

2 Rigid plastic hook

USB-C Socket

4 On - Off switch

Magnet

#### IMA006-002

## Rechargeable UV Leak Detection Light -Replaceable Lens







For detection of leakages in cooling systems, used with UV detection liquid Durable housing, hook and lens 180 degree pivoting handle Super strong magnets on the bottom 3 LED battery level indicators show the charge status









Main light: 3W UV COB LED Top light: 3W SMD LED, 6500K, 80+CRI



Main light: 395 nm Top light: 100 lumens



3.7 V 2600 mAh Li-ion



Charging time: 3.5 h



Main light: 4.5 h Top light: 10 h



1m Type C USB 5V-1A



IP54




IK07



235 g



198x57x40 mm



1 Top Light

2 Rigid plastic hook

USB-C Socket

4 On - Off switch

6 Magnet

# Leak Detection UV Lights



### LMF003-002

Folding Rechargable SLIM UV Detection Light - Mini








For detection of leakages in cooling systems, used with UV detection liquid
Durable plastic housing, aluminum LED frame
Strong magnet on the bottom and back
180 degree rotating head in vertical position
During charging, the red led flashes, green led indicates fully charged.
























# Underhood worklight



# LMU001-001 Underhood worklight







Each lights has its own handy hanging hooks.

Both lights detach for convenient hand-held use.

This underhood can expanded from 90° to 180°.









Flood light: 2x10W COB LED, 6500K, 70+CRI



Flood light: 2x250 /2x500 /2x1000 lumens



Battery: 2x 3.7V 4400mAh Li-ion



Charging time:



Flood light:  $12 \,h$  /6 h /3 h



1m Type C USB 5V-2A



IPX3



IK07



1900 g



1240x80x125 mm











#### I MG001-001 MULTILIGHT BODY CONNECT





MULTILIGHT CONNECT provides you with complete freedom to choose and tailor exactly the work light solution you need. Either you choose the MULTILIGHT BODY CONNECT handle and combine it with a selected light head, or you choose to acquire the body and more individual light heads to obtain a work light solution covering different purposes. Due to the flexible part of the body all light heads can be adjusted in an angle of 120°.





18/20V 2.0Ah Li-ion



Charging time: 2.4A 45m



IP30



IK07



14.4-18V-2.4A

## I MG001-F01 MULTILIGHT FLEX CONNECT







MULTILIGHT CONNECT provides you with complete freedom to choose and tailor exactly the work light solution you need. Either you choose the MULTILIGHT BODY CONNECT handle and combine it with a selected light head, or you choose to acquire the body and more individual light heads to obtain a work light solution covering different purposes. Due to the flexible part of the body all light heads can be adjusted in an angle of 120°.



Slim, compact and extremely powerful inspection light head providing up to 800 lumen Rotates in all directions 2 light settings: 50 % - 100 % Long operating time, up to 24 h



Flood light: 800 lumens



18/20V 2.0Ah Li-ion



Charging time: 24A 45m



Flood light: 24 h



IP30



IK07



14.4-18V-2.4A



# LMG001-F02 MULTILIGHT SEARCH CONNECT







MULTILIGHT CONNECT provides you with complete freedom to choose and tailor exactly the work light solution you need. Either you choose the MULTILIGHT BODY CONNECT handle and combine it with a selected light head, or you choose to acquire the body and more individual light heads to obtain a work light solution covering different purposes. Due to the flexible part of the body all light heads can be adjusted in an angle of 120°.

Extremely powerful search light head providing up to 800 lumen Focus function zooming beam angle 10°-70°

2 lighting settings: 50 % - 100 % Long operating time, up to 24 h



Flood light: 800 lumens



Battery: 18/20V 2.0Ah Li-ion



Charging time: 2.4A 45m



Flood light: 24 h



IP30



IK07



14.4-18V-2.4A

# LMG001- E02 MUI TII IGHT FI OOD CONNECT







MULTILIGHT CONNECT provides you with complete freedom to choose and tailor exactly the work light solution you need. Either you choose the MULTILIGHT BODY CONNECT handle and combine it with a selected light head, or you choose to acquire the body and more individual light heads to obtain a work light solution covering different purposes. Due to the flexible part of the body all light heads can be adjusted in an angle of 120°.



Lu-MAX

Sturdy and extremely powerful floodlight head providing up to 1500 lumen 2 light settings: 50 % - 100 % Long operating time, up to 13 h



Flood light: 1500 lumens



Battery: 18/20V 2.0Ah Li-ion



Charging time: 2.4A 45m



Flood light: 13 h



IP30



IK07



14.4-18V-2.4A













Folded: 620mm



Exetended: 1600mm



Section: 3



Max.Load: 1900g

